

Lots 1 through 11 are 2yr old Polled Hereford bulls. Their growth data has been provided here again and is also printed in the catalog. Ultrasound data was not printed in the catalog, and has been provided here.

Lot 1 P233

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	76	92	651	104	1259	106	5.4
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.35	111	12.27	98	4.76	108	41	

Lot 2 P236

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	88	106	670	107	1240	104	6.1
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.32	102	12.41	100	4.19	95	38	

Lot 3 P238

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	89	ET	730	ET	1314	ET	6.8
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.38	132	13.11	101	3.43	99	41	

Lot 4 P270

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	87	104	701	112	1297	109	6.6
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.21	66	15.28	123	3.61	82	36	

Lot 5 P278

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	81	97	682	109	1238	104	6.4
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.34	107	11.89	95	3.94	89	36	

Lot 6 P311

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	93	106	608	106	1270	107	6.1
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.27	86	12.94	104	3.40	77	38	

Lot 7 P240

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	94	ET	579	ET	1143	ET	6.5
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.17	60	12.33	95	2.39	69	38	

Lot 8 P294

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	93	ET	564	ET	1055	ET	5.4
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.24	83	12.77	99	3.67	106	37	

Lot 9 P314

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	86	ET	606	ET	1205	E	5.4
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.34	119	12.97	100	3.98	115	40	

Lot 10 P299

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	92	107	616	98	1238	104	5.6
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.31	98	13.28	107	3.73	85	40	

Lot 11 P344

Phenotype:

CE	BW	BWR	aWW	WWR	aYW	YWR	FS
1	n/a	n/a	641	113	1074	101	6.0
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC	
0.26	86	12.23	94	4.43	106	37	

Lots 12 through 32 are yearling Polled Hereford bulls.

Lot 12 R422

CED	BW	WW	YW	\$ BMI				
+0.6 (.06)	+4.2 (.31)	+44 (.21)	+70 (P+)	\$ 17				
CEM	MM	M&G	SC	\$ CEZ				
+2.8 (.05)	+21 (.09)	+43	+0.7 (.08)	\$ 15				
FAT	REA	IMF	\$ BII					
+0.006 (P+)	+0.43 (P+)	+0.04 (P+)	\$ 15					
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ CHB
1	90	112	684	112	1124	104	5.6	\$ 20
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC		
0.23	94	12.27	109	3.27	82	39		

Lot 13 R425

CED	BW	WW	YW	\$ BMI				
+2.3 (.07)	+1.6 (.30)	+44 (.21)	+78 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+3.4 (.06)	+27 (.09)	+49	+0.8 (.08)	\$ 17				
FAT	REA	IMF	\$ BII					
+0.004 (P+)	+0.01 (P+)	+0.08 (P+)	\$ 13					
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ CHB
1	83	102	656	107	1174	109	6.0	\$ 21
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC		
0.32	132	10.81	96	3.82	96	37		

Lot 14 R443

CED	BW	WW	YW	\$ BMI				
+2.1 (.07)	+2.1 (.32)	+45 (.22)	+80 (P+)	\$ 22				
CEM	MM	M&G	SC	\$ CEZ				
+4.5 (.06)	+18 (.09)	+41	+1.1 (.08)	\$ 18				
FAT	REA	IMF	\$ BII					
-0.004 (P+)	+0.13 (P+)	+0.15 (P+)	\$ 19					
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ CHB
1	78	96	592	97	1112	103	4.7	\$ 24
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R	SC		
0.23	96	11.53	102	5.04	126	40		

Lot 15 OUT of SALE

Lot 16 R447

CED	BW	WW	YW	\$ BMI				
-5.8 (P)	+4.8 (.20)	+44 (.19)	+76 (.16)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+1.9 (P)	+18 (.15)	+40	+1.0 (.09)	\$ 10				
FAT	REA	IMF		\$ BII				
-0.002 (P+)	+0.48 (P+)	-0.04 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 18
1	95	ET	563	ET	1150	ET	4.3	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.26	87	12.24	105	3.61	96		39	

Lot 18 R461

CED	BW	WW	YW	\$ BMI				
-2.2 (.09)	+2.0 (.35)	+42 (P+)	+74 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+1.4 (.07)	+13 (P)	+34	+0.5 (P+)	\$ 12				
FAT	REA	IMF		\$ BII				
-0.002 (P+)	+0.42 (P+)	+0.13 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 21
1	74	87	541	103	1060	108	4.7	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.25	103	11.75	110	4.68	113		36	

Lot 20 R469

CED	BW	WW	YW	\$ BMI				
-2.2 (.05)	+3.4 (.32)	+44 (P+)	+75 (P+)	\$ 15				
CEM	MM	M&G	SC	\$ CEZ				
-1.9 (.04)	+16 (P)	+38	+0.6 (P+)	\$ 11				
FAT	REA	IMF		\$ BII				
+0.000 (P+)	+0.34 (P+)	+0.10 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 21
1	95	109	655	113	1221	111	5.2	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.29	124	11.59	105	4.82	123		36	

Lot 22 R497

CED	BW	WW	YW	\$ BMI				
+1.8 (.09)	+3.6 (.35)	+38 (P+)	+61 (P+)	\$ 18				
CEM	MM	M&G	SC	\$ CEZ				
+2.0 (.08)	+15 (P)	+34	+0.6 (P+)	\$ 17				
FAT	REA	IMF		\$ BII				
+0.018 (P+)	+0.11 (P+)	+0.19 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 19
1	89	105	533	102	990	101	5.3	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.24	101	9.81	92	4.25	103		37	

Lot 24 R505

CED	BW	WW	YW	\$ BMI				
+3.2 (.11)	+0.7 (.35)	+33 (P+)	+56 (P+)	\$ 13				
CEM	MM	M&G	SC	\$ CEZ				
+2.5 (.09)	+17 (P)	+33	+0.4 (P+)	\$ 17				
FAT	REA	IMF		\$ BII				
+0.004 (P+)	-0.04 (P+)	-0.07 (P+)		\$ 12				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 12
1	73	86	512	98	978	99	4.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.28	118	10.06	94	3.35	81		34	

Lot 26 R509

CED	BW	WW	YW	\$ BMI				
+2.5 (.07)	+0.8 (.33)	+31 (.24)	+54 (P+)	\$ 11				
CEM	MM	M&G	SC	\$ CEZ				
+0.0 (.06)	+20 (.09)	+35	+0.3 (.08)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.000 (P+)	+0.07 (P+)	-0.03 (P+)		\$ 11				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 13
1	72	90	601	98	1037	96	3.4	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.21	89	11.09	98	2.80	70		35	

Lot 17 R457

CED	BW	WW	YW	\$ BMI				
-2.8 (.05)	+3.8 (.32)	+35 (P+)	+61 (P+)	\$ 10				
CEM	MM	M&G	SC	\$ CEZ				
-1.6 (.04)	+17 (P)	+35	+0.3 (P+)	\$ 10				
FAT	REA	IMF		\$ BII				
+0.012 (P+)	+0.56 (P+)	-0.01 (P+)		\$ 11				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 15
1	90	103	563	97	1104	101	4.2	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.25	110	11.82	107	3.56	91		32	

Lot 19 R464

CED	BW	WW	YW	\$ BMI				
+3.8 (P)	+3.0 (.24)	+32 (.23)	+51 (.22)	\$ 15				
CEM	MM	M&G	SC	\$ CEZ				
-0.7 (P)	+24 (.22)	+40	+0.7 (.19)	\$ 17				
FAT	REA	IMF		\$ BII				
-0.015 (P+)	+0.17 (P+)	-0.01 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 15
1	95	ET	610	ET	1130	ET	5.7	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.19	61	11.55	99	2.95	79		37	

Lot 21 R495

CED	BW	WW	YW	\$ BMI				
+2.5 (.07)	+1.4 (.33)	+31 (.24)	+59 (P+)	\$ 13				
CEM	MM	M&G	SC	\$ CEZ				
-0.3 (.06)	+21 (.10)	+36	+0.4 (.08)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.003 (P+)	+0.01 (P+)	+0.10 (P+)		\$ 12				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 15
1	79	98	642	105	1158	107	4.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.27	113	10.70	95	4.44	111		34	

Lot 23 R500

CED	BW	WW	YW	\$ BMI				
-0.3 (.11)	+1.4 (.36)	+41 (P+)	+75 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+2.0 (.09)	+17 (P)	+37	+0.7 (P+)	\$ 14				
FAT	REA	IMF		\$ BII				
-0.010 (P+)	+0.34 (P+)	+0.01 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 19
1	75	87	585	112	1102	112	5.6	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.23	97	11.23	105	3.65	88		36	

Lot 25 R508

CED	BW	WW	YW	\$ BMI				
+0.4 (.12)	+2.9 (.36)	+40 (P+)	+62 (P+)	\$ 15				
CEM	MM	M&G	SC	\$ CEZ				
+4.2 (.10)	+16 (P)	+36	+0.5 (P+)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.003 (P+)	+0.03 (P+)	+0.00 (P+)		\$ 14				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 16
1	80	93	571	109	995	101	4.6	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.21	89	11.27	105	3.91	95		33	

Lot 27 R514

CED	BW	WW	YW	\$ BMI				
-1.7 (.05)	+3.3 (.32)	+37 (P+)	+69 (P+)	\$ 10				
CEM	MM	M&G	SC	\$ CEZ				
-1.2 (.04)	+20 (P)	+38	+0.3 (P+)	\$ 11				
FAT	REA	IMF		\$ BII				
-0.004 (P+)	+0.40 (P+)	-0.02 (P+)		\$ 10				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 16
1	85	97	571	98	1125	103	4.7	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.20	88	10.62	96	3.80	97		32	

Lot 28 R520

CED	BW	WW	YW	\$ BMI				
+3.1 (.11)	+2.3 (.34)	+42 (P+)	+73 (P+)	\$ 20				
CEM	MM	M&G	SC	\$ CEZ				
+1.7 (.09)	+22 (P)	+43	+1.0 (P+)	\$ 18				
FAT	REA	IMF		\$ BII				
+0.016 (P+)	-0.02 (P+)	+0.22 (P+)		\$ 18				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 22
1	90	100	634	109	1174	107	6.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.30	128	8.96	81	4.10	104		36	

Lot 29 R523

CED	BW	WW	YW	\$ BMI				
+1.5 (P)	+2.5 (.23)	+41 (.20)	+69 (.19)	\$ 20				
CEM	MM	M&G	SC	\$ CEZ				
+0.8 (P)	+20 (.19)	+41	+0.9 (.16)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.010 (P+)	+0.19 (P+)	+0.21 (P+)		\$ 18				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 22
1	89	ET	605	ET	1178	ET	5.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.38	125	12.98	112	3.41	91		34	

Lot 30 R524

CED	BW	WW	YW	\$ BMI				
+5.3 (P)	+1.8 (.21)	+35 (.20)	+62 (.19)	\$ 22				
CEM	MM	M&G	SC	\$ CEZ				
+4.0 (P)	+20 (.19)	+37	+0.9 (.15)	\$ 21				
FAT	REA	IMF		\$ BII				
+0.017 (P+)	-0.03 (P+)	+0.31 (P+)		\$ 20				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 21
1	74	ET	619	ET	1196	ET	5.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.33	109	9.91	85	4.37	117		36	

Lot 31 R526

CED	BW	WW	YW	\$ BMI				
+1.5 (P)	+2.5 (.23)	+41 (.20)	+69 (.19)	\$ 20				
CEM	MM	M&G	SC	\$ CEZ				
+0.8 (P)	+20 (.19)	+41	+0.9 (.16)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.010 (P+)	+0.07 (P+)	+0.28 (P+)		\$ 19				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 23
1	79	ET	575	ET	1070	ET	3.4	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.36	119	11.44	98	4.43	118		36	

Lot 32 R555

CED	BW	WW	YW	\$ BMI				
-0.5 (P)	+3.5 (.22)	+37 (.19)	+60 (.18)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+4.4 (P)	+13 (.16)	+31	+0.6 (.12)	\$ 16				
FAT	REA	IMF		\$ BII				
-0.004 (.18)	+0.12 (.16)	-0.03 (.16)		\$ 16				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 14
1	65	TWIN	717	TWIN	1259	TWIN	6.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.22	TWIN	12.70	TWIN	3.41	TWIN		36	

Lots 33 through 35 are yearling Angus bulls.

Lot 33 RA61

CED	BEPD	WEPD	YEPD	\$EN				
+8 (.27)	+1.2 (.35)	+40 (.30)	I+80 (.35)	\$ 8.32				
CEM	MILK		SC	\$W				
+11 (.14)	+16 (.21)		I-.01 (.05)	\$ 23.17				
UFAT	UREA	%IMF		\$F				
I+.030 (.28)	I+.29 (.28)	I+.16 (.28)		\$ 23.64				
Phenotype:				\$G				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 13.52
1	82	98	639	97	1244	102	4.9	\$B
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	\$ 32.88
0.41	121	12.90	104	4.52	109			

Lot 34 RA65

CED	BEPD	WEPD	YEPD	\$EN				
+9 (.28)	+0.5 (.33)	+48 (.27)	I+81 (.33)	\$ (0.89)				
CEM	MILK		SC	\$W				
+10 (.14)	+28 (.22)		n/a	\$ 31.04				
UFAT	UREA	%IMF		\$F				
I+.010 (.30)	I+.24 (.30)	I+.10 (.29)		\$ 21.57				
Phenotype:				\$G				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 14.06
1	79	95	703	106	1237	101	5.9	\$B
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	\$ 33.26
0.35	103	12.40	100	3.65	88			

Lot 35 RA70

CED	BEPD	WEPD	YEPD	\$EN				
+0 (.19)	+3.3 (.30)	+33 (.22)	I+65 (.15)	\$ 15.33				
CEM	MILK		SC	\$W				
+5 (.05)	+11 (.06)		n/a	\$ 16.85				
UFAT	UREA	%IMF		\$F				
I+.002 (.07)	I+.10 (.07)	I+.05 (.06)		\$ 11.69				
Phenotype:				\$G				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 12.51
1	89	107	550	83	1112	90	6.0	\$B
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	\$ 23.27
0.27	79	11.90	96	4.22	102			

Lots 36 through 55 & 73X & 74X are yearling Polled Hereford heifers. All sell open and ready to breed.

Lot 36 R406

CED	BW	WW	YW	\$ BMI				
-7.7 (.13)	+7.4 (.34)	+46 (.27)	+72 (P+)	\$ 15				
CEM	MM	M&G	SC	\$ CEZ				
-1.1 (.09)	+19 (.13)	+42	+1.0 (.10)	\$ 7				
FAT	REA	IMF		\$ BII				
+0.002 (P+)	+0.41 (P+)	-0.03 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 17
1	98	123	523	95	887	94	5.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.23	65	7.09	78	3.55	80			

Lot 37 R416

CED	BW	WW	YW	\$ BMI				
+7.2 (.09)	+0.2 (.32)	+36 (.24)	+56 (P+)	\$ 18				
CEM	MM	M&G	SC	\$ CEZ				
+4.1 (.08)	+22 (.10)	+40	+0.6 (.10)	\$ 22				
FAT	REA	IMF		\$ BII				
+0.011 (P+)	+0.16 (P+)	+0.09 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 18
1	60	79	543	99	953	101	5.2	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		SC	
0.47	135	10.02	111	5.12	116			

Lot 38 R418

CED	BW	WW	YW	\$ BMI				
-1.0 (.07)	+3.0 (.32)	+40 (.22)	+73 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+2.6 (.06)	+24 (.10)	+44	+0.9 (.08)	\$ 14				
FAT	REA	IMF		\$ BII				
-0.022 (P+)	+0.11 (P+)	+0.00 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 18
1	81	103	583	106	948	101	6.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.22	64	9.42	104	3.71	84			

Lot 40 R423

CED	BW	WW	YW	\$ BMI				
-0.9 (.07)	+3.8 (.32)	+40 (.22)	+74 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+1.8 (.06)	+23 (.09)	+43	+0.9 (.08)	\$ 14				
FAT	REA	IMF		\$ BII				
-0.018 (P+)	+0.00 (P+)	+0.05 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 19
2	88	111	530	96	899	96	6.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.17	47	7.48	83	4.41	100			

Lot 42 R435

CED	BW	WW	YW	\$ BMI				
-1.1 (.07)	+4.4 (.36)	+38 (P+)	+63 (P+)	\$ 14				
CEM	MM	M&G	SC	\$ CEZ				
-0.4 (.06)	+12 (P)	+32	+0.4 (P+)	\$ 13				
FAT	REA	IMF		\$ BII				
-0.020 (P+)	+0.39 (P+)	-0.01 (P+)		\$ 14				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 18
1	85	107	497	105	830	98	6.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.22	71	8.29	99	3.94	91			

Lot 44 R437

CED	BW	WW	YW	\$ BMI				
-1.5 (.04)	+5.5 (.31)	+35 (P+)	+62 (P+)	\$ 14				
CEM	MM	M&G	SC	\$ CEZ				
-0.6 (.04)	+12 (P)	+30	+0.7 (P+)	\$ 13				
FAT	REA	IMF		\$ BII				
-0.020 (P+)	+0.37 (P+)	-0.20 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 12
1	100	117	537	103	973	106	5.5	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.22	63	9.10	101	3.23	71			

Lot 46 R460

CED	BW	WW	YW	\$ BMI				
+2.2 (.09)	+2.8 (.35)	+41 (P+)	+67 (P+)	\$ 18				
CEM	MM	M&G	SC	\$ CEZ				
+2.8 (.08)	+14 (P)	+35	+0.6 (P+)	\$ 17				
FAT	REA	IMF		\$ BII				
+0.004 (P+)	+0.24 (P+)	+0.13 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 21
1	79	99	494	105	890	105	5.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.25	82	9.13	109	3.73	86			

Lot 48 R484

CED	BW	WW	YW	\$ BMI				
-4.3 (.05)	+4.7 (.33)	+38 (P+)	+72 (P+)	\$ 11				
CEM	MM	M&G	SC	\$ CEZ				
-2.1 (.04)	+18 (P)	+37	+0.4 (P+)	\$ 9				
FAT	REA	IMF		\$ BII				
-0.004 (P+)	+0.36 (P+)	+0.09 (P+)		\$ 12				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 18
1	92	108	526	101	987	108	6.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.38	107	8.35	93	5.59	123			

Lot 39 R420

CED	BW	WW	YW	\$ BMI				
-4.0 (.07)	+5.7 (.32)	+47 (.22)	+89 (P+)	\$ 15				
CEM	MM	M&G	SC	\$ CEZ				
+0.6 (.06)	+22 (.08)	+45	+1.0 (.08)	\$ 11				
FAT	REA	IMF		\$ BII				
-0.020 (P+)	+0.20 (P+)	+0.02 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 22
1	88	110	570	104	1015	108	6.2	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.31	87	8.54	94	4.62	104			

Lot 41 R424

CED	BW	WW	YW	\$ BMI				
-1.7 (.07)	+3.1 (.32)	+41 (.22)	+74 (P+)	\$ 14				
CEM	MM	M&G	SC	\$ CEZ				
+0.5 (.06)	+25 (.10)	+46	+0.7 (.08)	\$ 12				
FAT	REA	IMF		\$ BII				
-0.004 (P+)	-0.02 (P+)	+0.15 (P+)		\$ 13				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 20
2	85	107	625	114	1048	112	5.5	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.44	124	8.50	94	4.93	111			

Lot 43 R436

CED	BW	WW	YW	\$ BMI				
-4.3 (.14)	+3.4 (.34)	+39 (.27)	+60 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+1.9 (.10)	+20 (.13)	+39	+0.8 (.10)	\$ 12				
FAT	REA	IMF		\$ BII				
+0.002 (P+)	+0.26 (P+)	+0.10 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 17
1	79	100	533	97	875	93	6.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.38	108	9.09	101	5.50	124			

Lot 45 R446

CED	BW	WW	YW	\$ BMI				
-1.6 (.07)	+3.4 (.32)	+47 (.22)	+85 (P+)	\$ 19				
CEM	MM	M&G	SC	\$ CEZ				
+2.1 (.06)	+22 (.10)	+46	+1.1 (.08)	\$ 14				
FAT	REA	IMF		\$ BII				
+0.003 (P+)	+0.24 (P+)	+0.13 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 23
2	86	109	563	102	997	106	5.8	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.39	111	9.54	106	5.23	118			

Lot 47 R482

CED	BW	WW	YW	\$ BMI				
+2.0 (.11)	+2.6 (.36)	+32 (P+)	+56 (P+)	\$ 14				
CEM	MM	M&G	SC	\$ CEZ				
+2.4 (.09)	+21 (P)	+37	+0.5 (P+)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.004 (P+)	+0.06 (P+)	+0.03 (P+)		\$ 13				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 14
1	80	100	461	98	894	105	5.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.32	103	8.84	105	4.93	113			

Lot 49 R485

CED	BW	WW	YW	\$ BMI				
+0.4 (.07)	+3.0 (.33)	+34 (.24)	+59 (P+)	\$ 13				
CEM	MM	M&G	SC	\$ CEZ				
+0.9 (.06)	+21 (.09)	+38	+0.5 (.08)	\$ 14				
FAT	REA	IMF		\$ BII				
-0.013 (P+)	+0.06 (P+)	-0.02 (P+)		\$ 12				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 14
1	84	105	555	101	925	98	4.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.29	82	9.57	106	4.24	96			

Lot 50 R486

CED	BW	WW	YW	\$ BMI				
+1.0 (.12)	+2.0 (.37)	+33 (P+)	+52 (P+)	\$ 13				
CEM	MM	M&G	SC	\$ CEZ				
+3.6 (.10)	+15 (P)	+31	+0.3 (P+)	\$ 16				
FAT	REA	IMF		\$ BII				
+0.017 (P+)	-0.04 (P+)	+0.04 (P+)		\$ 12				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 13
1	77	97	446	94	793	94	4.5	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.40	130	7.37	88	0.00	0			

Lot 52 OUT of SALE

Lot 54 R549

CED	BW	WW	YW	\$ BMI				
-2.6 (.04)	+6.0 (.32)	+32 (P+)	+56 (P+)	\$ 12				
CEM	MM	M&G	SC	\$ CEZ				
-1.4 (.03)	+13 (P)	+29	+0.4 (P+)	\$ 11				
FAT	REA	IMF		\$ BII				
-0.003 (P+)	+0.33 (P+)	-0.08 (P+)		\$ 13				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 12
1	98	115	512	98	879	96	4.5	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.34	97	9.07	101	4.04	89			

Lot 73X EFBEEF J126 THYRA R522 (P42635199)

Heifer Calved: April 13, 2005 Tattoo: LE R522 RE PEF

FELTONS 517
 FELTONS ENDURANCE 745
 FF PROSPECTITA 997 [DOD]
 EF F745 ENDURO J126 (P42000203)
 EF 964 VICTOR 547A
 EF 547A CHOICETTE 18D
 EF 585T IDEALIA 500A
 EF F524 FELLIS 821C
 EF 821C MR CARCASS G824
 EF 336Z TONETTE 882C [DOD]
 EF G824 THYRA L519 (P42183992)
 EF F524 FELLIS 821C
 EF 821C FELLISITY F496
 EF 336Z TONETTE 832C

CED	BW	WW	YW	\$ BMI				
+0.4 (.09)	+4.4 (.34)	+37 (P+)	+72 (P+)	\$ 18				
CEM	MM	M&G	SC	\$ CEZ				
+1.6 (.08)	+12 (P)	+31	+0.6 (P+)	\$ 15				
FAT	REA	IMF		\$ BII				
-0.002 (P+)	+0.31 (P+)	+0.17 (P+)		\$ 17				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 21
1	90	113	415	88	906	107	4.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.23	73	8.45	100	4.47	103			

Lot 56 GERBER 117F DIXIE 009K

Donor Flush terms - Seller guarantees six (6) high quality/frozen embryos (Quality Grade 1 or 2) sired by the bull of the buyer's choice. Additional embryos over six (6) go to the buyer at no additional expense. Less than six (6) embryos will have the price prorated back accordingly. EF/Schu-Lar will pay the flush expenses. Buyer to supply the semen for the flush. EF/Schu-Lar will supply semen free of charge on any of the sires they own. Semen not owned by EF/Schu-Lar will be the purchaser's responsibility. All shipping costs are the purchaser's responsibility. The Flush will be conducted at Food Animal Vet Service, Rensselaer, Indiana. Dixie 009K has been collected 5 times for an average of 8.4 high quality embryos per flush. She will available for flushing as soon as possible following an expected May 11 due date.

Lot 51 R507

CED	BW	WW	YW	\$ BMI				
+3.3 (.11)	+1.7 (.35)	+35 (P+)	+62 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
+2.4 (.09)	+19 (P)	+36	+0.6 (P+)	\$ 18				
FAT	REA	IMF		\$ BII				
-0.001 (P+)	+0.10 (P+)	+0.06 (P+)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 17
1	78	98	492	104	980	116	5.6	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.34	111	9.47	113	5.71	131			

Lot 53 R530

CED	BW	WW	YW	\$ BMI				
+3.1 (.06)	+3.0 (.32)	+49 (.23)	+80 (P+)	\$ 22				
CEM	MM	M&G	SC	\$ CEZ				
+2.0 (.05)	+21 (.09)	+45	+1.1 (.10)	\$ 18				
FAT	REA	IMF		\$ BII				
+0.017 (P+)	+0.05 (P+)	+0.24 (P+)		\$ 19				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 26
1	84	105	625	114	1035	110	5.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.55	156	9.55	106	4.65	105			

Lot 55 R556

CED	BW	WW	YW	\$ BMI				
-2.9 (.09)	+4.2 (.35)	+42 (P+)	+67 (P+)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
-0.2 (.07)	+17 (P)	+38	+0.5 (P+)	\$ 12				
FAT	REA	IMF		\$ BII				
-0.009 (P+)	+0.40 (P+)	+0.22 (P+)		\$ 16				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 23
1	86	108	548	116	890	105	5.6	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.26	86	8.93	106	6.47	149			

Lot 74X EFBEEF J126 TONETTE R551 (P42635219)

Heifer Calved: April 29, 2005 Tattoo: LE R551 RE PEF

FELTONS 517
 FELTONS ENDURANCE 745
 FF PROSPECTITA 997 [DOD]
 EF F745 ENDURO J126 (P42000203)
 EF 964 VICTOR 547A
 EF 547A CHOICETTE 18D
 EF 585T IDEALIA 500A
 RHF VICTOR 266 964
 EF 964 VICTOR 151E
 EF 133N VICKI DOM410S [DOD]
 EF 151E CHOICETTE K321 (P42087258)
 FELTONS 459
 EF F459 FELLISITY F420
 EF 336Z TONETTE 772B

CED	BW	WW	YW	\$ BMI				
+1.9 (P)	+2.5 (P)	+34 (P)	+51 (P)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
-0.9 (P)	+15 (P)	+32	+0.5 (P)	\$ 16				
FAT	REA	IMF		\$ BII				
-0.010 (P+)	+0.06 (P+)	+0.10 (P+)		\$ 16				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	\$ 16
1	n/a	n/a	500	n/a	877	n/a	6.2	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.19	68	7.99	100	3.61	82			