

Lots 1 through 31 are Polled Hereford bulls.

Lot 1 U300

CED				BW	WW	YW	\$ BMI	
+2.4 (.10)	+0.6 (.38)	+51 (.31)	+72 (.33)				\$ 28	
CEM				MM	M&G	SC	\$ CEZ	
+1.5 (.08)	+18 (.14)	+43	+1.4 (.28)				\$ 19	
FAT				REA	MARB		\$ BII	
+0.058 (.25)	+0.28 (.24)	+0.42 (.23)					\$ 26	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	80	ET	442	ET	844	ET	37	\$ 28
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.17	75	10.86	102	2.90	69			

lots 2, 7, 32, 47 and 49 are OUT of sale.

Lot 3 W420

CED				BW	WW	YW	\$ BMI	
+3.7 (.10)	+0.4 (.37)	+57 (P+)	+81 (P+)				\$ 28	
CEM				MM	M&G	SC	\$ CEZ	
+2.5 (.08)	+14 (P)	+42	+1.2 (P+)				\$ 20	
FAT				REA	MARB		\$ BII	
+0.093 (P+)	-0.03 (P+)	+0.63 (P+)					\$ 25	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	79	92	634	118	1050	112	36.8	\$ 32
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.28	150	9.82	98	4.88	128			

Lot 4 W453

CED				BW	WW	YW	\$ BMI	
+2.9 (.11)	+3.3 (.37)	+63 (P+)	+98 (P+)				\$ 27	
CEM				MM	M&G	SC	\$ CEZ	
+1.6 (.09)	+16 (P)	+48	+1.5 (P+)				\$ 18	
FAT				REA	MARB		\$ BII	
+0.069 (P+)	+0.12 (P+)	+0.33 (P+)					\$ 23	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	92	107	672	125	1122	119	39.7	\$ 31
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.28	154	11.12	111	3.12	82			

Lot 5 W410

CED				BW	WW	YW	\$ BMI	
+2.8 (.11)	+2.7 (.37)	+49 (P+)	+76 (P+)				\$ 30	
CEM				MM	M&G	SC	\$ CEZ	
+3.1 (.09)	+12 (P)	+36	+1.5 (P+)				\$ 20	
FAT				REA	MARB		\$ BII	
+0.046 (P+)	+0.07 (P+)	+0.38 (P+)					\$ 28	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	82	102	504	94	913	97	38.0	\$ 26
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.14	78	10.12	101	3.79	100			

Lot 6 W433

CED				BW	WW	YW	\$ BMI	
+1.6 (P)	+4.0 (.24)	+61 (.22)	+89 (.22)				\$ 29	
CEM				MM	M&G	SC	\$ CEZ	
+2.1 (P)	+13 (.13)	+44	+1.3 (.14)				\$ 18	
FAT				REA	MARB		\$ BII	
+0.062 (P+)	+0.06 (P+)	+0.57 (P+)					\$ 25	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	87	ET	483	ET	852	ET	38.1	\$ 34
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.16	88	7.92	85	3.29	97			

Lot 8 W479

CED				BW	WW	YW	\$ BMI	
+5.6 (.13)	+2.0 (.38)	+47 (P+)	+67 (P+)				\$ 27	
CEM				MM	M&G	SC	\$ CEZ	
+4.5 (.11)	+12 (P)	+36	+1.0 (P+)				\$ 22	
FAT				REA	MARB		\$ BII	
+0.075 (P+)	-0.24 (P+)	+0.52 (P+)					\$ 24	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	79	92	494	92	846	90	32.6	\$ 26
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.15	78	7.53	75	3.82	101			

Lot 9 W425

CED				BW	WW	YW	\$ BMI	
+3.2 (.11)	+3.3 (.37)	+52 (.24)	+81 (.24)				\$ 28	
CEM				MM	M&G	SC	\$ CEZ	
+3.1 (.09)	+12 (.15)	+38	+1.2 (.15)				\$ 20	
FAT				REA	MARB		\$ BII	
+0.026 (P+)	+0.16 (P+)	+0.41 (P+)					\$ 25	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	89	ET	540	ET	883	ET	37.5	\$ 30
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.20	109	8.67	93	4.04	119			

Lot 10 W438

CED				BW	WW	YW	\$ BMI	
+2.1 (.11)	+5.0 (.37)	+56 (.24)	+88 (.24)				\$ 29	
CEM				MM	M&G	SC	\$ CEZ	
+2.6 (.09)	+12 (.15)	+40	+1.2 (.15)				\$ 18	
FAT				REA	MARB		\$ BII	
+0.028 (P+)	+0.24 (P+)	+0.53 (P+)					\$ 25	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	99	ET	573	ET	1063	ET	38.1	\$ 35
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.20	110	9.93	107	5.75	169			

Lot 11 W439

CED				BW	WW	YW	\$ BMI	
+2.7 (.11)	+4.0 (.37)	+54 (.24)	+84 (.24)				\$ 27	
CEM				MM	M&G	SC	\$ CEZ	
+2.9 (.09)	+12 (.15)	+39	+1.2 (.15)				\$ 19	
FAT				REA	MARB		\$ BII	
+0.025 (P+)	+0.06 (P+)	+0.41 (P+)					\$ 24	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	92	ET	453	ET	818	ET	36.6	\$ 31
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.18	99	7.25	78	3.87	114			

Lot 12 W450

CED				BW	WW	YW	\$ BMI	
+3.5 (.11)	+3.0 (.39)	+57 (P+)	+87 (P+)				\$ 34	
CEM				MM	M&G	SC	\$ CEZ	
+3.5 (.09)	+12 (P)	+41	+1.6 (P+)				\$ 21	
FAT				REA	MARB		\$ BII	
+0.089 (P+)	-0.02 (P+)	+0.77 (P+)					\$ 31	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	91	106	549	102	955	102	37.7	\$ 36
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.23	126	10.21	102	6.47	170			

Lot 13 W409

CED				BW	WW	YW	\$ BMI	
+2.2 (.07)	+2.7 (.30)	+46 (.17)	+76 (.17)				\$ 26	
CEM				MM	M&G	SC	\$ CEZ	
+3.7 (.07)	+13 (.11)	+35	+1.3 (.08)				\$ 19	
FAT				REA	MARB		\$ BII	
+0.026 (.12)	+0.12 (.12)	+0.24 (.11)					\$ 24	
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	75	TWI	663	TW	1019	TW	37.7	\$ 24
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.25	TWI	9.50	TWI	3.26	TWI			

Lot 14 W499

CED	BW	WW	YW	\$ BMI				
+1.4 (.06)	+2.9 (.38)	+54 (P+)	+88 (P+)	\$ 26				
CEM	MM	M&G	SC	\$ CEZ				
+2.9 (.06)	+17 (P)	+44	+1.3 (P+)	\$ 18				
FAT	REA	MARB		\$ BII				
+0.002 (P+)	+0.44 (P+)	+0.28 (P+)		\$ 23				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 31
1	81	94	543	101	948	101	35.4	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.18	96	10.52	105	3.80	100			

Lot 16 W440

CED	BW	WW	YW	\$ BMI				
+2.0 (.07)	+1.4 (.38)	+43 (P+)	+64 (P+)	\$ 20				
CEM	MM	M&G	SC	\$ CEZ				
+1.6 (.06)	+13 (P)	+35	+0.7 (P+)	\$ 17				
FAT	REA	MARB		\$ BII				
+0.025 (P+)	+0.31 (P+)	+0.15 (P+)		\$ 18				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 20
1	85	94	508	100	812	91	33.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.11	77	10.06	102	2.78	86			

Lot 18 W406

CED	BW	WW	YW	\$ BMI				
+6.8 (.09)	+0.9 (.36)	+59 (P+)	+87 (P+)	\$ 31				
CEM	MM	M&G	SC	\$ CEZ				
+2.9 (.06)	+12 (P)	+42	+1.6 (P+)	\$ 23				
FAT	REA	MARB		\$ BII				
+0.053 (P+)	+0.29 (P+)	+0.26 (P+)		\$ 27				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 30
1	81	100	608	113	1023	109	41.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.19	103	10.56	105	2.78	73			

Lot 20 W459

CED	BW	WW	YW	\$ BMI				
+6.8 (.08)	+0.0 (.36)	+52 (.24)	+79 (.24)	\$ 30				
CEM	MM	M&G	SC	\$ CEZ				
+3.2 (.06)	+14 (.13)	+40	+1.3 (.13)	\$ 23				
FAT	REA	MARB		\$ BII				
-0.003 (P+)	+0.49 (P+)	+0.29 (P+)		\$ 26				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 32
1	82	ET	632	ET	1032	ET	34.3	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.21	112	9.85	106	2.49	73			

Lot 22 W417

CED	BW	WW	YW	\$ BMI				
+6.1 (.09)	+2.3 (.36)	+52 (P+)	+78 (P+)	\$ 23				
CEM	MM	M&G	SC	\$ CEZ				
+1.2 (.07)	+15 (P)	+41	+0.7 (P+)	\$ 20				
FAT	REA	MARB		\$ BII				
+0.020 (P+)	+0.27 (P+)	+0.32 (P+)		\$ 19				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 30
1	86	107	511	95	858	91	33.9	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.13	72	9.62	96	3.38	89			

Lot 24 W456

CED	BW	WW	YW	\$ BMI				
+5.7 (.09)	+1.8 (.36)	+55 (P+)	+86 (P+)	\$ 29				
CEM	MM	M&G	SC	\$ CEZ				
+1.6 (.07)	+17 (P)	+44	+1.4 (P+)	\$ 21				
FAT	REA	MARB		\$ BII				
+0.009 (P+)	+0.30 (P+)	+0.31 (P+)		\$ 25				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 32
1	88	103	512	95	896	95	38.8	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.14	73	8.44	84	3.17	83			

Lot 15 W483

CED	BW	WW	YW	\$ BMI				
+0.6 (.06)	+2.9 (.36)	+50 (P+)	+86 (P+)	\$ 26				
CEM	MM	M&G	SC	\$ CEZ				
+2.8 (.05)	+10 (P)	+35	+1.3 (P+)	\$ 17				
FAT	REA	MARB		\$ BII				
+0.017 (P+)	+0.27 (P+)	+0.26 (P+)		\$ 24				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 27
1	84	98	553	106	1006	107	37.3	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.19	101	11.44	114	4.00	105			

Lot 17 W452

CED	BW	WW	YW	\$ BMI				
+0.4 (.08)	+4.7 (.37)	+55 (P+)	+77 (P+)	\$ 25				
CEM	MM	M&G	SC	\$ CEZ				
+0.6 (.06)	+18 (P)	+45	+1.5 (P+)	\$ 16				
FAT	REA	MARB		\$ BII				
+0.001 (P+)	+0.42 (P+)	+0.08 (P+)		\$ 25				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 25
3	93	115	640	119	1039	111	39.6	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.11	62	10.52	105	3.13	82			

Lot 19 W444

CED	BW	WW	YW	\$ BMI				
+5.8 (.10)	-1.3 (.37)	+49 (P+)	+72 (P+)	\$ 18				
CEM	MM	M&G	SC	\$ CEZ				
+2.4 (.08)	+21 (P)	+46	+0.3 (P+)	\$ 19				
FAT	REA	MARB		\$ BII				
+0.029 (P+)	+0.63 (P+)	+0.25 (P+)		\$ 13				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 28
1	76	87	545	101	982	105	33.3	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.23	126	11.68	116	3.07	81			

Lot 21 W429

CED	BW	WW	YW	\$ BMI				
+6.0 (.09)	+0.7 (.36)	+52 (P+)	+75 (P+)	\$ 22				
CEM	MM	M&G	SC	\$ CEZ				
+2.2 (.07)	+18 (P)	+44	+0.6 (P+)	\$ 20				
FAT	REA	MARB		\$ BII				
+0.033 (P+)	+0.33 (P+)	+0.37 (P+)		\$ 18				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 30
1	78	97	533	99	901	96	33.7	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.20	108	9.78	97	3.47	91			

Lot 23 W485

CED	BW	WW	YW	\$ BMI				
+4.6 (.09)	+1.3 (.37)	+62 (P+)	+95 (P+)	\$ 23				
CEM	MM	M&G	SC	\$ CEZ				
+0.8 (.07)	+17 (P)	+48	+0.6 (P+)	\$ 18				
FAT	REA	MARB		\$ BII				
+0.031 (P+)	+0.57 (P+)	+0.50 (P+)		\$ 18				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 38
1	88	101	547	102	1013	108	35.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.26	138	11.36	113	4.72	124			

Lot 25 W430

CED	BW	WW	YW	\$ BMI				
+6.4 (.09)	+1.0 (.35)	+58 (.22)	+91 (.22)	\$ 26				
CEM	MM	M&G	SC	\$ CEZ				
+2.0 (.07)	+17 (.13)	+46	+1.1 (.12)	\$ 21				
FAT	REA	MARB		\$ BII				
+0.011 (P+)	+0.63 (P+)	+0.25 (P+)		\$ 21				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ 34
1	89	ET	566	ET	979	ET	39.0	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.20	109	12.00	129	2.20	65			

Lot 26 W449

CED		BW		WW		YW		\$ BMI
+5.2	(.09)	+2.1	(.35)	+61	(.22)	+96	(.22)	\$ 25
CEM		MM		M&G		SC		\$ CEZ
+1.3	(.07)	+17	(.13)	+47		+1.1	(.12)	\$ 19
FAT		REA		MARB				\$ BII
+0.006	(P+)	+0.46	(P+)	+0.26	(P+)			\$ 21
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	101	ET	574	ET	986	ET	37.2	\$ 34
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.13	73	9.59	103	2.20	65			

Lot 27 W411

CED		BW		WW		YW		\$ BMI
+5.7	(.09)	+1.3	(.36)	+47	(P+)	+69	(P+)	\$ 27
CEM		MM		M&G		SC		\$ CEZ
+0.1	(.07)	+17	(P)	+41		+1.1	(P+)	\$ 21
FAT		REA		MARB				\$ BII
+0.015	(P+)	+0.12	(P+)	+0.43	(P+)			\$ 24
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	89	110	561	104	935	100	38.9	\$ 29
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.19	105	8.62	86	4.43	117			

Lot 28 W501

CED		BW		WW		YW		\$ BMI
+0.4	(.08)	+3.1	(.39)	+56	(P+)	+79	(P+)	\$ 19
CEM		MM		M&G		SC		\$ CEZ
-1.2	(.07)	+19	(P)	+47		+0.7	(P+)	\$ 14
FAT		REA		MARB				\$ BII
+0.044	(P+)	+0.51	(P+)	+0.29	(P+)			\$ 17
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	94	107	561	110	939	105	36.8	\$ 28
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.21	142	10.59	108	2.62	81			

Lot 29 W492

CED		BW		WW		YW		\$ BMI
+1.9	(.07)	+1.5	(.37)	+48	(P+)	+73	(P+)	\$ 22
CEM		MM		M&G		SC		\$ CEZ
+2.3	(.06)	+17	(P)	+41		+0.8	(P+)	\$ 17
FAT		REA		MARB				\$ BII
+0.048	(P+)	+0.21	(P+)	+0.44	(P+)			\$ 20
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	81	92	523	103	876	98	33.8	\$ 27
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.13	87	9.37	95	3.67	114			

Lot 30 W513

CED		BW		WW		YW		\$ BMI
+0.3	(.07)	+1.7	(.38)	+47	(P+)	+70	(P+)	\$ 20
CEM		MM		M&G		SC		\$ CEZ
+0.6	(.06)	+17	(P)	+40		+0.8	(P+)	\$ 15
FAT		REA		MARB				\$ BII
+0.010	(P+)	+0.41	(P+)	+0.17	(P+)			\$ 18
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	83	97	554	109	901	101	35.5	\$ 24
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.13	86	9.30	95	3.32	103			

Lot 31 W516

CED		BW		WW		YW		\$ BMI
+0.3	(.09)	+2.8	(.37)	+52	(P+)	+77	(P+)	\$ 23
CEM		MM		M&G		SC		\$ CEZ
+1.2	(.08)	+16	(P)	+42		+0.9	(P+)	\$ 16
FAT		REA		MARB				\$ BII
+0.047	(P+)	+0.24	(P+)	+0.42	(P+)			\$ 21
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$ CHB
1	83	101	529	104	886	99	35.7	\$ 28
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.14	93	9.53	97	3.77	117			

Lots 33 through 35 are Angus bulls.

Lot 33 UA10

CED		BEPD		WEPD		YEPD		\$EN
+6	(.27)	+1.3	(.32)	+35	(.23)	+72	(.22)	\$ 6.22
CEM		MILK				SC		\$W
+4	(.13)	+21	(.15)			+0.4	(.28)	\$ 23.45
FAT		REA		MARB				\$F
+0.011	(.16)	+0.14	(.22)	+0.09	(.18)			\$ 17.38
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$G
1	83	106	551	93	1140	100	36	\$ 15.39
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			\$B
0.13	54	11.60	97	4.10	92			\$ 22.77

Lot 34 WA04

CED		BEPD		WEPD		YEPD		\$EN
I+10	(.05)	I+6	(.05)	I+46	(.05)	I+90	(.05)	\$ 5.20
CEM		MILK				SC		\$W
I+10	(.05)	I+24	(.05)			I-22	(.22)	\$ 33.00
FAT		REA		MARB				\$F
I+028	(.19)	I+36	(.23)	I+39	(.21)			\$ 30.80
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$G
1	73	100	549	100	943	100	#N/A	\$ 24.04
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			\$B
0.16	107	10.80	99	3.54	80			\$ 48.22

Lot 35 WA05

CED		BEPD		WEPD		YEPD		\$EN
I+7	(.05)	I+1.8	(.05)	I+48	(.05)	I+93	(.05)	\$ 4.33
CEM		MILK				SC		\$W
I+8	(.05)	I+23	(.05)			I+42	(.05)	\$ 31.72
FAT		REA		MARB				\$F
I+03	(.05)	I+28	(.05)	I+44	(.05)			\$ 31.78
Phenotype:								
CE	BW	BWR	aWW	WWR	aYW	YWR	SC	\$G
1	81	101	689	108	1102	111	#N/A	\$ 19.57
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			\$B
0.25	114	11.10	112	3.54	89			\$ 47.99

Lots 2, 7, 32, 47 and 49 are OUT of sale.

Lots 38 through 51 are yearling Polled Hereford heifers. All sell open and ready to breed.

Lot 38 W414

CED	BW	WW	YW	\$ BMI			
+9.3 (.09)	-1.5 (.37)	+53 (P+)	+79 (P+)	\$ 33			
CEM	MM	M&G	SC	\$ CEZ			
+4.3 (.07)	+12 (P)	+39	+1.2 (P+)	\$ 26			
FAT	REA	MARB		\$ BII			
+0.034 (P+)	+0.27 (P+)	+0.55 (P+)		\$ 28			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 35
1	62	77	527	114	835	104	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.36	119	8.46	108	6.98	115		

Lot 39 W419

CED	BW	WW	YW	\$ BMI			
+5.5 (.09)	+1.6 (.37)	+52 (P+)	+81 (P+)	\$ 24			
CEM	MM	M&G	SC	\$ CEZ			
+0.9 (.07)	+14 (P)	+40	+0.9 (P+)	\$ 20			
FAT	REA	MARB		\$ BII			
+0.012 (P+)	+0.34 (P+)	+0.30 (P+)		\$ 21			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 30
1	81	101	513	111	878	109	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.47	157	8.82	113	4.92	81		

Lot 40 W470

CED	BW	WW	YW	\$ BMI			
+1.8 (.12)	+5.1 (.38)	+57 (P+)	+89 (P+)	\$ 27			
CEM	MM	M&G	SC	\$ CEZ			
+1.9 (.10)	+11 (P)	+40	+1.3 (P+)	\$ 18			
FAT	REA	MARB		\$ BII			
+0.064 (P+)	-0.11 (P+)	+0.46 (P+)		\$ 24			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 30
1	92	115	542	117	918	114	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.37	125	8.75	112	7.04	116		

Lot 41 W436

CED	BW	WW	YW	\$ BMI			
+1.4 (.11)	+3.7 (.37)	+52 (P+)	+85 (P+)	\$ 29			
CEM	MM	M&G	SC	\$ CEZ			
+2.6 (.09)	+9 (P)	+35	+1.3 (P+)	\$ 18			
FAT	REA	MARB		\$ BII			
+0.013 (P+)	+0.21 (P+)	+0.40 (P+)		\$ 26			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 31
1	84	105	485	105	867	108	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.27	91	7.93	101	6.85	113		

Lot 42 W407

CED	BW	WW	YW	\$ BMI			
+2.8 (.10)	+4.5 (.37)	+58 (P+)	+86 (P+)	\$ 31			
CEM	MM	M&G	SC	\$ CEZ			
+2.3 (.08)	+10 (P)	+39	+1.6 (P+)	\$ 20			
FAT	REA	MARB		\$ BII			
+0.048 (P+)	+0.05 (P+)	+0.44 (P+)		\$ 29			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 31
1	84	111	545	118	890	110	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.33	112	7.70	98	7.77	128		

Lot 43 W432

CED	BW	WW	YW	\$ BMI			
+3.1 (.10)	+3.9 (.37)	+48 (P+)	+74 (P+)	\$ 27			
CEM	MM	M&G	SC	\$ CEZ			
+3.5 (.08)	+11 (P)	+35	+1.3 (P+)	\$ 20			
FAT	REA	MARB		\$ BII			
+0.047 (P+)	-0.01 (P+)	+0.29 (P+)		\$ 25			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 24
1	83	109	445	96	814	101	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.24	81	7.82	100	6.25	103		

Lot 44 W416

CED	BW	WW	YW	\$ BMI			
+4.4 (.11)	+1.9 (.37)	+49 (P+)	+69 (P+)	\$ 25			
CEM	MM	M&G	SC	\$ CEZ			
+2.4 (.09)	+16 (P)	+40	+1.1 (P+)	\$ 20			
FAT	REA	MARB		\$ BII			
+0.069 (P+)	-0.16 (P+)	+0.42 (P+)		\$ 23			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 25
1	78	103	474	103	822	102	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.40	133	6.68	85	7.15	118		

Lot 45 W441

CED	BW	WW	YW	\$ BMI			
+5.5 (.12)	+1.9 (.39)	+46 (P+)	+70 (P+)	\$ 28			
CEM	MM	M&G	SC	\$ CEZ			
+4.5 (.10)	+10 (P)	+34	+1.4 (P+)	\$ 23			
FAT	REA	MARB		\$ BII			
+0.047 (P+)	-0.11 (P+)	+0.24 (P+)		\$ 26			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 22
1	78	97	461	100	799	99	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.23	78	7.76	99	4.98	82		

Lot 46 W495

CED	BW	WW	YW	\$ BMI			
-1.5 (.08)	+1.6 (.38)	+44 (P+)	+69 (P+)	\$ 14			
CEM	MM	M&G	SC	\$ CEZ			
-2.1 (.07)	+22 (P)	+44	+0.4 (P+)	\$ 11			
FAT	REA	MARB		\$ BII			
+0.024 (P+)	+0.37 (P+)	+0.29 (P+)		\$ 13			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 24
1	80	100	464	106	838	110	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.26	124	9.37	120	5.05	107		

Lot 48 W490

CED	BW	WW	YW	\$ BMI			
-0.9 (.08)	+3.2 (.38)	+49 (P+)	+78 (P+)	\$ 18			
CEM	MM	M&G	SC	\$ CEZ			
+0.3 (.06)	+19 (P)	+44	+0.7 (P+)	\$ 13			
FAT	REA	MARB		\$ BII			
+0.010 (P+)	+0.46 (P+)	+0.23 (P+)		\$ 16			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 26
1	85	107	454	104	768	101	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.25	119	8.47	108	5.65	119		

Lot 50 W509

CED	BW	WW	YW	\$ BMI			
+1.2 (.08)	+0.1 (.37)	+38 (P+)	+55 (P+)	\$ 13			
CEM	MM	M&G	SC	\$ CEZ			
+1.8 (.06)	+16 (P)	+35	+0.3 (P+)	\$ 15			
FAT	REA	MARB		\$ BII			
+0.032 (P+)	+0.24 (P+)	-0.01 (P+)		\$ 12			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 14
1	68	83	412	94	674	89	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.20	98	7.05	90	3.94	83		

Lot 51 W488

CED	BW	WW	YW	\$ BMI			
+2.9 (.07)	+0.6 (.36)	+46 (P+)	+64 (P+)	\$ 23			
CEM	MM	M&G	SC	\$ CEZ			
+2.2 (.06)	+17 (P)	+40	+1.0 (P+)	\$ 19			
FAT	REA	MARB		\$ BII			
+0.048 (P+)	+0.30 (P+)	+0.21 (P+)		\$ 21			
Phenotype:				\$ CHB			
CE	BW	BWR	aWW	WWR	aYW	YWR	\$ 21
1	69	90	499	108	856	106	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R		
0.40	133	8.46	108	5.31	88		

Lot 52 W476

CED	BW	WW	YW	\$ BMI				
+1.2 (.06)	+3.5 (.37)	+53 (P+)	+91 (P+)	\$ 26				
CEM	MM	M&G	SC	\$ CEZ				
+3.1 (.05)	+11 (P)	+38	+1.4 (P+)	\$ 18				
FAT	REA	MARB		\$ BII				
+0.001 (P+)	+0.26 (P+)	+0.14 (P+)		\$ 24				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR		
1	83	103	489	106	915	114		
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.26	89	8.38	107	4.91	81			

Lots 2, 7, 32, 47 and 49 are OUT of sale.

Lots 53 through 57 are Polled Hereford cows.

Lot 53 N124

CED	BW	WW	YW	\$ BMI				
-0.2 (.12)	+4.1 (.45)	+47 (.36)	+63 (.37)	\$ 17				
CEM	MM	M&G	SC	\$ CEZ				
+1.2 (.10)	+20 (.26)	+44	+0.9 (.19)	\$ 15				
FAT	REA	MARB		\$ BII				
+0.022 (.28)	+0.47 (.27)	-0.13 (.25)		\$ 16				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	
1	82	105	632	112	962	104	6.4	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.31	142	10.39	118	3.67	105			

Lot 54 R535

CED	BW	WW	YW	\$ BMI				
+0.7 (.12)	+5.2 (.34)	+44 (.34)	+76 (.36)	\$ 20				
CEM	MM	M&G	SC	\$ CEZ				
+0.9 (.12)	+16 (.25)	+38	+0.9 (.15)	\$ 16				
FAT	REA	MARB		\$ BII				
-0.069 (.27)	+0.48 (.26)	-0.05 (.24)		\$ 18				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	
1	0	0	491	104	879	104	6.1	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.18	58	8.88	106	4.00	92			

Lot 55 S12

CED	BW	WW	YW	\$ BMI				
+6.5 (.16)	-2.7 (.38)	+21 (.30)	+41 (.31)	\$ 21				
CEM	MM	M&G	SC	\$ CEZ				
+1.0 (.14)	+9 (.21)	+20	+0.5 (.16)	\$ 22				
FAT	REA	MARB		\$ BII				
+0.024 (.15)	+0.12 (.17)	+0.35 (.14)		\$ 21				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	
#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
#N/A	#N/A	#N/A	#N/A	#N/A	#N/A			

Lot 56 S705

CED	BW	WW	YW	\$ BMI				
+0.0 (.08)	+1.8 (.40)	+48 (.32)	+65 (.33)	\$ 16				
CEM	MM	M&G	SC	\$ CEZ				
-0.6 (.07)	+19 (.14)	+43	+0.4 (.12)	\$ 13				
FAT	REA	MARB		\$ BII				
+0.016 (.23)	+0.39 (.22)	+0.23 (.20)		\$ 15				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	
1	78	95	570	109	853	98	4.2	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.40	99	10.19	103	4.75	113			

Lot 57 S647

CED	BW	WW	YW	\$ BMI				
+1.3 (.07)	+2.0 (.41)	+53 (.32)	+82 (.34)	\$ 24				
CEM	MM	M&G	SC	\$ CEZ				
+2.0 (.06)	+20 (.15)	+46	+1.1 (.13)	\$ 17				
FAT	REA	MARB		\$ BII				
+0.083 (.24)	+0.21 (.23)	+0.51 (.21)		\$ 21				
Phenotype:				\$ CHB				
CE	BW	BWR	aWW	WWR	aYW	YWR	FS	
1	76	93	560	107	927	106	4.3	
aFAT	FAT R	aREA	REA R	a%IMF	%IMF R			
0.57	141	10.19	103	4.89	116			

CALF UPDATE FOR LOTS 53 TO 57:
 Lot 53A Exposed 6/30/09 to 8/26/09 to EFBeef J126 Fellis T041, then 8/27/09 to 10/12/09 to EF F745 FRANK P230
 Lot 54A
 Lot 55A X619 HEIFER CALF BORN 3/8/2010, SIRED BY EF F745 FRANK P230
 Lot 56A X658 BULL CALF BORN 3/31/2010, SIRED BY EF F745 FRANK P230
 Lot 57A X641 HEIFER CALF BORN 3/19/2010, SIRED BY EF F745 FRANK P230